

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ad: Alluvial Land-----	100	Not rated		Not rated		Not rated	
AuC2: Aura-----	100	Very limited Low adsorption Too acid	1.00 0.86	Very limited Low adsorption Too acid	1.00 1.00	Very limited Low adsorption Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 1.00  0.10
AuD2: Aura-----	100	Very limited Low adsorption Too acid  Slope	1.00 0.86  0.84	Very limited Low adsorption Too acid  Slope	1.00 1.00  0.84	Very limited Low adsorption Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00  1.00 0.90
AuD3: Aura-----	100	Very limited Low adsorption Too acid Slope	1.00 0.86 0.16	Very limited Low adsorption Too acid Slope	1.00 1.00 0.16	Very limited Low adsorption Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 1.00  0.40
BlA: Beltsville-----	95	Very limited Restricted permeability Low adsorption  Depth to saturated zone Too acid	1.00 1.00 1.00 0.73	Very limited Low adsorption  Restricted permeability Too acid  Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Low adsorption  Restricted permeability Too acid  Depth to saturated zone	1.00 1.00 1.00 1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BlB2: Beltsville-----	95	Very limited Restricted permeability Low adsorption	1.00 1.00	Very limited Low adsorption Restricted permeability Too acid	1.00 1.00 1.00	Very limited Low adsorption Restricted permeability Too acid Depth to saturated zone Too steep for surface application	1.00 1.00 1.00 1.00 0.08
BlC2: Beltsville-----	95	Very limited Restricted permeability Low adsorption Depth to saturated zone Too acid	1.00 1.00 1.00 0.73	Very limited Low adsorption Restricted permeability Too acid Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Low adsorption Restricted permeability Too acid Too steep for surface application Depth to saturated zone	1.00 1.00 1.00 1.00 1.00
BlC3: Beltsville-----	95	Very limited Restricted permeability Low adsorption Depth to saturated zone Too acid	1.00 1.00 1.00 0.73	Very limited Low adsorption Restricted permeability Too acid Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Low adsorption Restricted permeability Too acid Too steep for surface application Depth to saturated zone	1.00 1.00 1.00 1.00 1.00
Bo: Bibb-----	100	Very limited Depth to saturated zone Flooding Low adsorption Too acid Runoff limitation	1.00 1.00 1.00 0.50 0.40	Very limited Depth to saturated zone Flooding Low adsorption Too acid	1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Low adsorption Flooding Too acid	1.00 1.00 1.00 1.00
BrB2: Bourne-----	100	Very limited Restricted permeability Low adsorption Depth to saturated zone	1.00 1.00 1.00	Very limited Low adsorption Restricted permeability Depth to saturated zone	1.00 1.00 1.00	Very limited Low adsorption Restricted permeability Depth to saturated zone	1.00 1.00 1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BrC2: Bourne-----	100	Too acid	0.22	Too acid	0.77	Too acid Too steep for surface application	0.77 0.08
		Very limited		Very limited		Very limited	
		Restricted	1.00	Low adsorption	1.00	Low adsorption	1.00
		permeability		Restricted		Restricted	
		Low adsorption	1.00	permeability	1.00	permeability	1.00
BuC3: Bourne-----	100	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too steep for surface application	1.00
		Too acid	0.22	Too acid	0.77	Depth to saturated zone	1.00
						Too acid	0.77
		Very limited		Very limited		Very limited	
		Restricted	1.00	Low adsorption	1.00	Low adsorption	1.00
ChB2: Chillum-----	100	permeability		Restricted		Restricted	
		Low adsorption	1.00	permeability	1.00	permeability	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too steep for surface application	1.00
		Too acid	0.22	Too acid	0.77	Depth to saturated zone	1.00
						Too acid	0.77
ChC2: Chillum-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Too acid	0.50	Too acid	1.00	Too acid	1.00
						Too steep for surface application	0.08
Co: Coastal Beaches-----	100	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Very limited	
		Too acid	0.50	Too acid	1.00	Low adsorption	1.00
						Too steep for surface application	1.00
		Slope	0.04	Slope	0.04	Too acid	1.00
						Too steep for sprinkler application	0.22
Co: Coastal Beaches-----	100	Not rated		Not rated		Not rated	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CrB2: Croom-----	100	Very limited Low adsorption Too acid	1.00 0.32	Very limited Low adsorption Too acid	1.00 0.91	Very limited Low adsorption Too acid Too steep for surface application	1.00 0.91 0.68
CrC2: Croom-----	100	Very limited Low adsorption Slope  Too acid	1.00 0.63  0.32	Very limited Low adsorption Too acid  Slope	1.00 0.91  0.63	Very limited Low adsorption Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00  0.91 0.78
CrC3: Croom-----	100	Very limited Low adsorption Slope  Too acid	1.00 0.63  0.32	Very limited Low adsorption Too acid  Slope	1.00 0.91  0.63	Very limited Low adsorption Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00  0.91 0.78
Cu: Cut And Fill Land---	100	Not rated		Not rated		Not rated	
Ek: Elkton-----	100	Very limited Restricted permeability Depth to saturated zone Too acid Leaching limitation	1.00  1.00 0.73 0.50	Very limited Restricted permeability Depth to saturated zone Low adsorption Too acid	1.00  1.00 1.00 1.00	Very limited Restricted permeability Depth to saturated zone Too acid	1.00  1.00 1.00
ErE: Eroded Land-----	100	Not rated		Not rated		Not rated	
EvB: Evesboro-----	100	Very limited Low adsorption Filtering capacity	1.00 1.00	Very limited Low adsorption Too acid	1.00 1.00	Very limited Low adsorption Too acid	1.00 1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EvC: Evesboro-----	100	Too acid	0.86	Filtering capacity	1.00	Filtering capacity	1.00
		Leaching limitation	0.45	Droughty	0.17	Droughty	0.17
		Droughty	0.17			Too steep for surface application	0.08
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Filtering capacity	1.00	Too acid	1.00	Too steep for surface application	1.00
		Too acid	0.86	Filtering capacity	1.00	Too acid	1.00
		Slope	0.63	Slope	0.63	Filtering capacity	1.00
		Leaching limitation	0.45	Droughty	0.17	Too steep for sprinkler application	0.78
EwB: Evesboro-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Droughty	0.91	Filtering capacity	1.00	Filtering capacity	1.00
		Too acid	0.73	Droughty	0.91	Droughty	0.91
		Leaching limitation	0.45			Too steep for surface application	0.08
EwC: Evesboro-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Filtering capacity	1.00	Too acid	1.00	Too steep for surface application	1.00
		Droughty	0.91	Filtering capacity	1.00	Too acid	1.00
		Too acid	0.73	Droughty	0.91	Filtering capacity	1.00
ExC2: Exum-----	100	Slope	0.63	Slope	0.63	Droughty	0.91
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
ExC3: Exum-----	100					Too steep for surface application	1.00
						Too steep for sprinkler application	0.10
ExC3: Exum-----	100	Very limited		Very limited		Very limited	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ExD2: Exum-----	100	Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
						Too steep for surface application	1.00
						Too steep for sprinkler application	0.10
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
EyD3: Exum-----	100	Restricted permeability	0.89	Too acid	1.00	Too steep for surface application	1.00
		Slope	0.84	Slope	0.84	Too acid	1.00
		Too acid	0.73	Restricted permeability	0.78	Too steep for sprinkler application	0.90
						Restricted permeability	0.78
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
EzB2: Exum-----	65	Restricted permeability	0.89	Too acid	1.00	Too steep for surface application	1.00
		Slope	0.84	Slope	0.84	Too acid	1.00
		Too acid	0.73	Restricted permeability	0.78	Too steep for sprinkler application	0.90
						Restricted permeability	0.78
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
Beltsville-----	30	Too acid	0.73	Too acid	1.00	Too acid	1.00
						Too steep for surface application	0.08
		Very limited		Very limited		Very limited	
		Restricted permeability	1.00	Low adsorption	1.00	Low adsorption	1.00
		Low adsorption	1.00	Restricted permeability	1.00	Restricted permeability	1.00
		Depth to saturated zone	1.00	Too acid	1.00	Too acid	1.00
Fs: Fallsington-----	100	Too acid	0.73	Depth to saturated zone	1.00	Depth to saturated zone	1.00
						Too steep for surface application	0.08
		Very limited		Very limited		Very limited	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GaB: Galestown-----	100	Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too acid	0.73	Low adsorption	1.00	Too acid	1.00
		Leaching limitation	0.70	Too acid	1.00	Too steep for surface application	0.08
		Low adsorption	0.04			Low adsorption	0.04
		Very limited Filtering capacity	1.00	Very limited Low adsorption	1.00	Very limited Too acid	1.00
		Droughty	0.75	Too acid	1.00	Filtering capacity	1.00
		Too acid	0.73	Filtering capacity	1.00	Droughty	0.75
		Leaching limitation	0.45	Droughty	0.75		
Gp: Gravel And Borrow Pi	100	Not rated		Not rated		Not rated	
GvE: Gravelly Land-----	95	Not rated		Not rated		Not rated	
Ik: Iuka-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Low adsorption	1.00
		Low adsorption	1.00	Low adsorption	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too acid	0.18	Too acid	0.67	Too acid	0.67
Im: Iuka-----	95	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00	Very limited Low adsorption	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Too acid	0.18	Too acid	0.67	Too acid	0.67
				Flooding	0.40		
In: Iuka-----	100	Very limited Low adsorption	1.00	Very limited Flooding	1.00	Very limited Low adsorption	1.00
		Depth to saturated zone	1.00	Low adsorption	1.00	Depth to saturated zone	1.00
		Flooding	0.60	Depth to saturated zone	1.00	Too acid	0.67
		Too acid	0.18	Too acid	0.67	Flooding	0.60

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KeA: Keyport-----	100	Very limited Restricted permeability Low adsorption	1.00 1.00	Very limited Low adsorption Restricted permeability	1.00 1.00	Very limited Low adsorption Restricted permeability	1.00 1.00
		Too acid Depth to saturated zone	0.73 0.68	Too acid Depth to saturated zone	1.00 0.68	Too acid Depth to saturated zone	1.00 0.68
KeB2: Keyport-----	100	Very limited Restricted permeability Low adsorption	1.00 1.00	Very limited Low adsorption Restricted permeability	1.00 1.00	Very limited Low adsorption Restricted permeability	1.00 1.00
		Too acid Depth to saturated zone	0.73 0.68	Too acid Depth to saturated zone	1.00 0.68	Too acid Depth to saturated zone Too steep for surface application	1.00 0.68 0.08
KpA: Keyport-----	100	Very limited Restricted permeability Low adsorption	1.00 1.00	Very limited Low adsorption Restricted permeability	1.00 1.00	Very limited Low adsorption Restricted permeability	1.00 1.00
		Too acid Depth to saturated zone	0.73 0.68	Too acid Depth to saturated zone	1.00 0.68	Too acid Depth to saturated zone	1.00 0.68
KpB2: Keyport-----	100	Very limited Restricted permeability Low adsorption	1.00 1.00	Very limited Low adsorption Restricted permeability	1.00 1.00	Very limited Low adsorption Restricted permeability	1.00 1.00
		Too acid Depth to saturated zone	0.73 0.68	Too acid Depth to saturated zone	1.00 0.68	Too acid Depth to saturated zone Too steep for surface application	1.00 0.68 0.08
KpC2: Keyport-----	100	Very limited Restricted permeability Low adsorption	1.00 1.00	Very limited Low adsorption Restricted permeability	1.00 1.00	Very limited Low adsorption Restricted permeability	1.00 1.00
		Too acid Depth to saturated zone	0.73 0.68	Too acid Depth to saturated zone	1.00 0.68	Too acid Too steep for surface application	1.00 1.00
		Slope	0.04	Slope	0.04	Depth to saturated zone	0.68



Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
KpC3: Keyport-----	100	Very limited Restricted permeability Low adsorption	1.00 1.00	Very limited Low adsorption Restricted permeability	1.00 1.00	Very limited Low adsorption Restricted permeability	1.00 1.00
		Too acid Depth to saturated zone	0.73 0.68	Too acid Depth to saturated zone	1.00 0.68	Too acid Too steep for surface application	1.00 1.00
		Slope	0.04	Slope	0.04	Depth to saturated zone	0.68
Le: Leonardtown-----	100	Very limited Restricted permeability Depth to saturated zone Low adsorption	1.00 1.00 1.00	Very limited Depth to saturated zone Low adsorption	1.00 1.00	Very limited Depth to saturated zone Low adsorption	1.00 1.00
		Depth to dense layer Too acid	1.00 0.73	Restricted permeability Too acid	1.00 1.00	Restricted permeability Too acid	1.00 1.00
MgA: Magnolia-----	100	Very limited Filtering capacity Too acid Low adsorption	1.00 0.50 0.45	Very limited Low adsorption Filtering capacity Too acid	1.00 1.00 1.00	Very limited Filtering capacity Too acid Low adsorption	1.00 1.00 0.45
MgB2: Magnolia-----	100	Very limited Filtering capacity Too acid Low adsorption	1.00 0.50 0.45	Very limited Low adsorption Filtering capacity Too acid	1.00 1.00 1.00	Very limited Filtering capacity Too acid Low adsorption Too steep for surface application	1.00 1.00 0.45 0.08
MgC2: Magnolia-----	100	Very limited Filtering capacity Too acid Low adsorption Slope	1.00 0.50 0.45 0.04	Very limited Low adsorption Filtering capacity Too acid Slope	1.00 1.00 1.00 0.04	Very limited Too steep for surface application Filtering capacity Too acid Low adsorption Too steep for sprinkler application	1.00 1.00 1.00 0.45 0.22
MkC3: Magnolia-----	100	Very limited		Very limited		Very limited	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Filtering capacity	1.00	Low adsorption	1.00	Too steep for surface application	1.00
		Too acid	0.50	Filtering capacity	1.00	Filtering capacity	1.00
		Low adsorption	0.45	Too acid	1.00	Too acid	1.00
		Slope	0.04	Slope	0.04	Low adsorption	0.45
MlB2: Marr-----	100	Too steep for sprinkler application	0.22				
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Too acid	0.32	Too acid	0.91	Too acid	0.91
MmA: Matapeake-----	100	Too steep for surface application	0.08			Too steep for surface application	0.08
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Too acid	0.50	Too acid	1.00	Too acid	1.00
MmB2: Matapeake-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Too acid	0.50	Too acid	1.00	Too acid	1.00
		Too steep for surface application	0.08			Too steep for surface application	0.08
MnA: Matapeake-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Too acid	0.50	Too acid	1.00	Too acid	1.00
MnB2: Matapeake-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Too acid	0.50	Too acid	1.00	Too acid	1.00
		Too steep for surface application	0.08			Too steep for surface application	0.08
MnC2: Matapeake-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Too acid	0.50	Too acid	1.00	Too steep for surface application	1.00
						Too acid	1.00
MnC3: Matapeake-----	100	Too steep for sprinkler application	0.10			Too steep for sprinkler application	0.10
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ms: Matawan-----	100	Too acid	0.50	Too acid	1.00	Too steep for surface application	1.00
						Too acid	1.00
						Too steep for sprinkler application	0.10
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
MtA: Mattapex-----	100	Restricted permeability	0.89	Too acid	1.00	Too acid	1.00
		Depth to saturated zone	0.86	Depth to saturated zone	0.86	Depth to saturated zone	0.86
		Too acid	0.50	Restricted permeability	0.78	Restricted permeability	0.78
		Somewhat limited		Very limited		Very limited	
		Depth to saturated zone	0.95	Low adsorption	1.00	Too acid	1.00
MtB2: Mattapex-----	100	Too acid	0.73	Too acid	1.00	Depth to saturated zone	0.95
				Depth to saturated zone	0.95		
		Somewhat limited		Very limited		Very limited	
		Depth to saturated zone	0.95	Low adsorption	1.00	Too acid	1.00
		Too acid	0.73	Too acid	1.00	Depth to saturated zone	0.95
MuA: Mattapex-----	100			Depth to saturated zone	0.95	Too steep for surface application	0.08
		Somewhat limited		Very limited		Very limited	
		Depth to saturated zone	0.95	Low adsorption	1.00	Too acid	1.00
		Too acid	0.73	Too acid	1.00	Depth to saturated zone	0.95
				Depth to saturated zone	0.95		
MuB2: Mattapex-----	100	Somewhat limited		Very limited		Very limited	
		Depth to saturated zone	0.95	Low adsorption	1.00	Too acid	1.00
		Too acid	0.73	Too acid	1.00	Depth to saturated zone	0.95
				Depth to saturated zone	0.95	Too steep for surface application	0.08
MxC: Mattapex-----	100	Somewhat limited		Very limited		Very limited	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OcB: Ochlockonee-----	100	Depth to saturated zone	0.95	Low adsorption	1.00	Too acid	1.00
		Too acid	0.73	Too acid	1.00	Too steep for surface application	1.00
		Slope	0.04	Depth to saturated zone	0.95	Depth to saturated zone	0.95
				Slope	0.04	Too steep for sprinkler application	0.22
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Too acid	0.22	Too acid	0.77	Too acid	0.77
				Flooding	0.40		
Or: Osier-----	100	Very limited		Very limited		Very limited	
		Filtering capacity	1.00	Filtering capacity	1.00	Filtering capacity	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Leaching limitation	0.90	Too acid	1.00	Too acid	1.00
		Droughty	0.82	Droughty	0.82	Droughty	0.82
Os: Othello-----	100	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Leaching limitation	0.50	Low adsorption	1.00	Too acid	1.00
		Too acid	0.50	Too acid	1.00	Restricted permeability	0.22
		Restricted permeability	0.30	Restricted permeability	0.22		
Ot: Othello-----	100	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
		Leaching limitation	0.50	Low adsorption	1.00	Too acid	1.00
		Too acid	0.50	Too acid	1.00	Restricted permeability	0.22
		Restricted permeability	0.30	Restricted permeability	0.22		
RdB2: Rumford-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.73	Filtering capacity	1.00	Filtering capacity	1.00
		Droughty	0.03	Droughty	0.03	Droughty	0.03

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RdC2: Rumford-----	100	Very limited Low adsorption Filtering capacity Too acid	1.00 1.00 0.73	Very limited Low adsorption Too acid Filtering capacity	1.00 1.00 1.00	Very limited Low adsorption Too acid Too steep for surface application Filtering capacity Too steep for sprinkler application	1.00 1.00 1.00 1.00 0.10
RgB2: Rumford-----	100	Very limited Low adsorption Filtering capacity Droughty Too acid	1.00 1.00 0.91 0.73	Very limited Low adsorption Too acid Filtering capacity Droughty	1.00 1.00 1.00 0.91	Very limited Low adsorption Too acid Filtering capacity Droughty	1.00 1.00 1.00 0.91
RgC2: Rumford-----	100	Very limited Low adsorption Filtering capacity Droughty Too acid	1.00 1.00 0.91 0.73	Very limited Low adsorption Too acid Filtering capacity Droughty	1.00 1.00 1.00 0.91	Very limited Low adsorption Too acid Too steep for surface application Filtering capacity Droughty	1.00 1.00 1.00 1.00 0.91
SaE: Sandy Land-----	100	Not rated		Not rated		Not rated	
ShA: Sassafras-----	100	Somewhat limited Too acid	0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Too acid	1.00
ShB2: Sassafras-----	100	Somewhat limited Too acid	0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Too acid Too steep for surface application	1.00 0.08
ShC2: Sassafras-----	100	Somewhat limited Too acid	0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Too acid Too steep for surface application	1.00 1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ShC3: Sassafras-----	100	Somewhat limited Too acid	0.73	Very limited Low adsorption Too acid	1.00 1.00	Too steep for sprinkler application	0.10
						Very limited Too acid	1.00
						Too steep for surface application	1.00
						Too steep for sprinkler application	0.10
ShD2: Sassafras-----	100	Somewhat limited Slope  Too acid	0.84  0.73	Very limited Low adsorption  Too acid Slope	1.00  1.00 0.84	Very limited Too steep for surface application	1.00
						Too acid	1.00
						Too steep for sprinkler application	0.90
ShD3: Sassafras-----	100	Somewhat limited Slope  Too acid	0.84  0.73	Very limited Low adsorption  Too acid Slope	1.00  1.00 0.84	Very limited Too steep for surface application	1.00
						Too acid	1.00
						Too steep for sprinkler application	0.90
Sx: Swamp-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
WaB2: Westphalia-----	100	Very limited Low adsorption Too acid	1.00 0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Low adsorption	1.00
						Too acid	1.00
						Too steep for surface application	0.08

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WaC2: Westphalia-----	100	Very limited Low adsorption Too acid Slope	1.00 0.73 0.04	Very limited Low adsorption Too acid Slope	1.00 1.00 0.04	Very limited Low adsorption Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 1.00  0.22
WaC3: Westphalia-----	100	Very limited Low adsorption Too acid Slope	1.00 0.73 0.04	Very limited Low adsorption Too acid Slope	1.00 1.00 0.04	Very limited Low adsorption Too acid Too steep for surface application Too steep for sprinkler application	1.00 1.00 1.00  0.22
WaD2: Westphalia-----	100	Very limited Low adsorption Slope  Too acid	1.00 1.00  0.73	Very limited Low adsorption Too acid  Slope	1.00 1.00  1.00	Very limited Low adsorption Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00  1.00 1.00
WaD3: Westphalia-----	100	Very limited Low adsorption Slope  Too acid	1.00 1.00  0.73	Very limited Low adsorption Too acid  Slope	1.00 1.00  1.00	Very limited Low adsorption Too steep for surface application Too steep for sprinkler application Too acid	1.00 1.00  1.00 1.00
WeB2: Westphalia-----	70	Very limited Low adsorption Too acid	1.00 0.73	Very limited Low adsorption Too acid	1.00 1.00	Very limited Low adsorption Too acid Too steep for surface application	1.00 1.00 0.08
Evesboro-----	30	Very limited Low adsorption Filtering capacity Too acid	1.00 1.00 0.86	Very limited Low adsorption Too acid Filtering capacity	1.00 1.00 1.00	Very limited Low adsorption Too acid Filtering capacity	1.00 1.00 1.00

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WeC2: Westphalia-----	70	Leaching limitation	0.45	Droughty	0.17	Droughty	0.17
		Droughty	0.17			Too steep for surface application	0.08
		Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Slope	0.04	Slope	0.04	Too steep for surface application	1.00
						Too steep for sprinkler application	0.22
Evesboro-----	30	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.86	Filtering capacity	1.00	Too steep for surface application	1.00
		Leaching limitation	0.45	Droughty	0.17	Filtering capacity	1.00
		Droughty	0.17	Slope	0.04	Too steep for sprinkler application	0.22
WeC3: Westphalia-----	70	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Too acid	0.73	Too acid	1.00	Too acid	1.00
		Slope	0.04	Slope	0.04	Too steep for surface application	1.00
						Too steep for sprinkler application	0.22
Evesboro-----	30	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Filtering capacity	1.00	Too acid	1.00	Too acid	1.00
		Too acid	0.86	Filtering capacity	1.00	Too steep for surface application	1.00
		Leaching limitation	0.45	Droughty	0.17	Filtering capacity	1.00
		Droughty	0.17	Slope	0.04	Too steep for sprinkler application	0.22
WkB2: Wickham-----	100	Very limited		Very limited		Very limited	
		Low adsorption	1.00	Low adsorption	1.00	Low adsorption	1.00
		Too acid	0.50	Too acid	1.00	Too acid	1.00



Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WkC2: Wickham-----	100	Very limited Low adsorption Too acid	1.00 0.50	Very limited Low adsorption Too acid	1.00 1.00	Too steep for surface application	0.08
WkD2: Wickham-----	100	Very limited Low adsorption Slope	1.00 0.84	Very limited Low adsorption Too acid	1.00 1.00	Very limited Low adsorption Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00 1.00 0.10
WmC3: Wickham-----	100	Very limited Low adsorption Too acid	1.00 0.50	Very limited Low adsorption Too acid	1.00 1.00	Very limited Low adsorption Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00 1.00 0.10
WmD3: Wickham-----	100	Very limited Low adsorption Slope	1.00 0.84	Very limited Low adsorption Too acid	1.00 1.00	Very limited Low adsorption Too steep for surface application Too acid Too steep for sprinkler application	1.00 1.00 1.00 0.90
WoA: Woodstown-----	100	Somewhat limited Depth to saturated zone Too acid	0.84 0.73	Very limited Low adsorption Too acid Depth to saturated zone	1.00 1.00 0.84	Very limited Too acid Depth to saturated zone	1.00 0.84
WoB2: Woodstown-----	100	Somewhat limited		Very limited		Very limited	

Table AWM-1.--Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WoC2: Woodstown-----	100	Depth to saturated zone	0.84	Low adsorption	1.00	Too acid	1.00
		Too acid	0.73	Too acid	1.00	Depth to saturated zone	0.84
				Depth to saturated zone	0.84	Too steep for surface application	0.08
		Somewhat limited Depth to saturated zone	0.84	Very limited Low adsorption	1.00	Very limited Too acid	1.00
		Too acid	0.73	Too acid	1.00	Too steep for surface application	1.00
				Depth to saturated zone	0.84	Depth to saturated zone	0.84
						Too steep for sprinkler application	0.10

